Research Output Management with AIMS

The CUHK Research Portal
Research Support & Digital Initiatives
研究支援及數碼創新



Outline

- ► Introducing AIMS and its public interface Research Portal
- ▶ How to update researcher profiles
- ► How to input your publication records
- How to deposit the full texts and related the copyright issues


Library Guide on AIMS is available at https://libguides.lib.cuhk.edu.hk/aims

Introducing AIMS and its public interface Research Portal

Academic Information Management System (AIMS)

 A one-stop platform for managing CUHK research information


- Launched on 1 Dec 2016
- Majority of the records in AIMS are migrated from Online Publication Input System (OPIS)







Workflow








Access Research Portal

At Library web site ->
 Research Support

At the University web site->Research & Impact



Research & Impact

The Chinese University of Hong Kong offers a wide range of research programmes in different subject areas and encourages all academic staff to undertake consultancy and collaborative projects with industry. CUHK has always adopted a liberal policy on research undertakings that allows breadth and depth. Research activities at CUHK cover dimensions laterally to encompass all subjects that are offered at CUHK, vertically to integrate staff research with teaching, and longitudinally to range from upstream research to midstream development.

- Office of Research and Knowledge
 Transfer Services
- CUHK Research Portal





Research Portal Interface





香港中文大學學術研究文庫 The Chinese University of Hong Kong Research Portal

Research Resources | Copyright in Research **Experts List User Guides About Us** Theses Home Research Outputs Researcher Profiles Department Profiles Research Areas Welcome to the CUHK Research Portal The CUHK Research Portal gathers together information on research outputs, grants, projects and the scholarly activities of CUHK researchers. Where possible the Research Portal offers open access to CUHK's research outputs including journal articles, book chapters, monographs, working papers, conference papers, enhancing their discoverability, showcasing their impact and fostering opportunities for collaborations. CUHK theses and dissertations are available at the CUHK Digital Repository. General Search Search Areas All Research Areas Browse Latest Publications Molecular Sensitivities of Substrate-Supported Gold Nanocrystals; Guo YZ, Zhu XZ, Li NN, et al.; 2019; Publication in refereed journal The evolution of the characteristics of charcoal-

Key Features

- Provides both English and Traditional Chinese
 Interfaces
- Supports general search to locate your desired research outputs / researchers / departments
- Refines search results by subject areas
- Browsing by Research Outputs
- Browsing by Researcher Profiles
- Browsing by Department Profiles
- Lists the latest research outputs added





Research Portal Interface (Research Outputs)



香港中文大學學術研究文庫 The Chinese University of Hong Kong Research Portal

Research Resources | Copyright in Research **Experts List User Guides** About Us Research Outputs » Cancer burden with ageing population in urban regions in China: projection on cancer registry data from World Health Organization Cancer burden with ageing population in urban regions in China: projection on Home cancer registry data from World Health Organization Publication in policy or professional journal Research Outputs **CUHK Authors** Researcher Profiles Mr CHAN Chi Hang (Stanley Ho Big Data Decision Analytics Research Centre) **Department Profiles** Professor TSOI Kam Fai (Stanley Ho Big Data Decision Analytics Research Centre) Miss HIRAI Wong Ho Yee (Stanley Ho Big Data Decision Analytics Research Centre) Research Areas Professor Sian Meryl GRIFFITHS (The Jockey Club School of Public Health and Primary Care) Professor SUNG Jao Yiu (Department of Medicine and Therapeutics) **Full Text** Digital Object http://dx.doi.org/10.1093/bmb/ldw050 DOI for CUHK Users http://easyaccess.lib.cuhk.edu.hk/login?url=http://dx.doi.org/10.1093/bmb/ldw050 **Times Cited** Altmetrics Information 16 readers on Mendeley See more details Other information China is facing the challenges of an expanding ageing population and the impact of rapid urbanization cancer rates are subsequently increasing. This study focuses on the changes of the ageing population and projects the incidence of common ageing-related cancers in the urban regions in China up to 2030. Cancer incidence data and population statistics in China were extracted from the International Agency for Research on Cancer

Key Features


- Includes all essential bibliographic information of the research output
- Provides either full-text or links to the full-text of the research output
- Display impact metrics relating to the research output such as citation counts to showcase its impact
- Highlights who are CUHK Authors and links to their Researcher Profiles

Research Output Data either migrated from OPIS or provided by Researchers/Dept Administrators





Research Portal Interface (Research Outputs, Times Cited)



Click and access the WoS or Scopus database to view this record

Times cited in WoS/ Scopus represent the traditional metrics


Click and access the Altmetric database to view this record. Times cited in Altmetric represent the alternative metrics, such as how this output has been used in social media





e Chines 23 Mendeley

Altmetric Providing alternative metrics







User Account

- Researcher Profile will be automatically created for the following type of CUHK members:
 - Full-time and fractional time teaching staff
 - Full-time research staff
 - Full-time and part-time Research Postgraduate (RPg) students
 - Their profiles are hidden in the Research Portal. Profiles can be shown upon request
 - Emeritus professors

- *These groups of staff can apply for a Researcher Account by submitting an application form at <u>AIMS Project Website</u> (http://info.aims.cuhk.edu.hk/)
 - Part-time research staff *
 - Administrative staff with publications*
 - Taught Postgraduate (TPg) students*
 - Others as deemed appropriate by the University*

Delegation of authority: ORKTS has sent a memo to Faculties/Departments for nominating administrators for helping researchers to manage research output. Methods are similar to administering researcher's own records





Access AIMS Account

香港中文大學學術研究文庫 The Chinese University of Hong Kong Research Portal






Login from <u>CUHK Research</u>
 <u>Portal</u> at

 https://aims.cuhk.edu.hk/conve

https://aims.cuhk.edu.hk/converis/portal/overview?lang=en_GB

Login from <u>AIMS Project</u>
 Webpage at
 http://info.aims.cuhk.edu.hk/







How to update researcher profiles

How does a researcher profile look in the Research Portal?





Update a Researcher Profile



Click "People" from the Dashboard



Click "Edit"





Update a Researcher Profile

Key Information Tab

- Data loaded from CUPIS cannot be changed via AIMS
- For any changes, please approach Personnel Office. The updated data would be synchronized from CUPIS to AIMS
- •Changes can be made for the following fields:
 - ORCID (http://orcid.org/, Library Guide HERE)
 - ResearcherID
 (http://www.researcherid.com/#rid-for-researchers, Library Guide HERE)
 - ISNI (http://www.isni.org/)
 - Phone
 - Email
 - URL (Your personal page in your department/faculty, etc)
 - Picture (A nice profile picture)

Work Affiliations Tab

- Data loaded from CUPIS cannot be changed via AIMS
- For any changes, please approach Personnel
 Office. The updated data would be synchronized
 from CUPIS to AIMS

Changes can be made to the following fields:

Other Positions

- This field allows you to enter any other nonappointment based academic role in addition to your researcher role in the university and community, such as:
 - Director of Research Centers.
 - Editor of peer-reviewed journals

Research Profile Tab

Supervising Students

• Edit your list of supervising students

Research Interest

List your research interest and your research area





How to input your publication records

Do not enter the following research output types to AIMS

These types will be entered by ORKTS:

- 1. Patents granted
- 2. Licensing agreements
- 3. Assignments of intellectual property rights
- 4. Companies
- 5. Postgraduate research theses





Do not enter the following research output types to AIMS

- Publications are not affiliated with the CUHK
- For teaching activities such as presentations, lectures, and talks in occasions other than academic or professional conferences, records can be entered under in Staff Profile Update System (SPUS)





Add a new record

- Login to AIMS
- Click "Add New Content" -> Research Output








Create a new record

- 1. Manually Create
- 2. Import from
- External database
- File



Add a new record



- 1. Manually Create
- -Select the appropriate research outputs type
- 2. Import from
- Select:
- -External data sources
- -File





Add a new record, Manually Create

- Research Output Types are classified according to the classification of UGC's CDCF (Common Data Collection Format) report
- Select the appropriate Research output type

elect the appropriate research outputs type		
Research Outputs	Information about the selected research outputs	
Scholarly books, monographs and chapters	Scholarly books, monographs and chapters	
Journal publications		
Conference papers		
Creative and literary works, consulting reports and case studies		
All other outputs		





Add a new record, Manually Create

- Different forms contain different fields
- Some are mandatory as required by the UGC
 - Journal Article Title *
 - Abstract
 - Publisher/Place of Publication
 - Volume Number/Issue Number
 - Year*/Month/Day
 - Start Page/End Page/Article
 Number/Number of Pages

- Research Output Category *
- UGC Research Type *
- Journal Name Selection List
- Language(s)*
- All Author(s) List*
- Input CUHK Associated Authors *
- Fulltext of the Publication (Task 3)
- DOI
- URL
- Acceptance Date
- Publishing Status*
- Census Period*






^{*} Mandatory Fields

Add a new record, Manually Create

After selecting a output type, you will see a blank form

- 1) You can still change a output type
- The form will change accordingly








Create a new record

- 1. Manually Create
- 2. Import from
- External database
- File


Add a new record, Import from

- -External data sources
 - 1. Web of Science
 - 2. Scopus
 - 3. PubMed (for Medicine)
 - 4. ORCID
- -File (e.g. Bibtex & Endnote)









- 1. Check databases to be included
- 2. Input the name format used in the selected database in the **authors** field or the article title in the **Title** field
- 3. Input the CUHK in **affiliation** field (please refer to the suggested name format under each database)
- 4. Or perform the search on each database one by one
- 5. You may specify the **publication year** if needed
- 6. Click Search to perform the search






You can save the search criteria


- 1. Enter the search criteria in the search box
- 2. Click 'Save'
- 3. Enter a name

Save Template	3
Cancel	Save










Import From ORCID

- 1. Select ORCID Search
- 2. Check the Web of Science or ORCID box
- 3. Enter your 16 digit ORCiD ID
- 4. Press Search Button





- Select the items you want to import
- Click "Validate" and then "Confirm"








Import overview

2 publication(s) have been successfully imported

Now you can either click on change search parameters above to import further publications, or validate the details on the publications you have just imported:

Validate your publications




• Click "Edit" to further edit other fields that has no information from external databases





Add a new record, Import from File


- -External data sources
 - 1. Web of Science
 - 2. Scopus
 - 3. PubMed (for Medicine)
 - 4. ORCID
- -File (e.g. Bibtex & Endnote)







Add a new record, Import from File



- Different Major Database gateways offer citation export function that may ease your research output import to the AIMS
- AIMS can accept file format including BibTex, and Endnote format
- Download the files of your desired research output into a folder on your own PC.





Add a new record, Import from File

Please select 'Manually Create" Research Output or "Import from" external data sources or file.	○ Manually Creat	File ~
Instructions (available at the AIMS Project Website) Select a Person FU, Lai Fan - The Chinese University of Hong Kong Library (Active)		
Select file Please select your file of publications. Following formats are supported: Bib	Tex and Endnote (XML).	



- 1. Select "Import from File" from the pull down menu.
- 2. Click the folder icon and select file from your local computer to upload
- 3. Select the file of the research output you would like to import
- 4. Click "Import Publications" to proceed





Edit records



Edit Records

Publication in refereed journal VOC Research Type * Academic research - referred Journal Article Title * Global Incidence and Mortality for Prostate Cancer. Analysis of Temporal Patterns and Trends in 36 Countries Background Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher socieocomic development, and that temporal trends for PCa incidence have increased while mortality has decreased over time Design, setting, and participants: Data on age-standardized incidence and mortality rates and 212 even retrieved from the SciOcCAN database. Emergonia patterns were assessed for 36 countries using data obtained from Cancer incidence in five continents volumes I-X and the Voold Health Organization incidence from the service incidence of mortality rates and socieocomoric development of the continents of the continents of the Cancer incidence and mortality in the most revent 0 by a coording to join pattern development of the continents of the continents of the Cancer incidence and mortality in the most revent 0 by a coording to join pattern degrees and pattern of the continents							search Output Categor
Academic research – referred Journal Article Title * Global Incidence and Mortality for Prostate Cancer. Analysis of Temporal Patterns and Trends in 36 Countries Abstract Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and reproductives and PCa mortality is lower in countries with higher socioeconomic development, and that temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher socioeconomic development, and that temporal trends for PCa incidence have incounted by the socioeconomic development, and that temporal trends for PCa incidence and mortality rates in 2012 were retrieved from the GLOBOCAM database. Temporal patterns were assessed for 55 countries using data obtained from Cancer incidence in the contenters volumes IX and the World Health Organization mortality database. Correlations between incidence or mortality rates and socioeconomic indicators (human development index (PLI) and goos domester product (EGP) were evaluated byte microlations of the production of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the patterns of the contract of the companies of the contract of the contr					~	al	Publication in refereed jo
Abstract Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and Trends in 36 Countries Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher scioncomic development, and that temporal trends for PCa incidence have increased while mortality has decreased over time Design, setting, and participants: Data on agestandardized incidence and mortality rates in 2012 were extreved from the GLOBOCAN database. Temporal patterns were assessed for 36 countries using data obtained from Cancer incidence in five continents volumes IX and the World Health Capitanzation mortality lates in 2012 were streeted from the GLOBOCAN database. Cerellational precent change in PCa incidence and socioeconomic indicators, flumina develop ment index [PD] and gross domestic product [GCP] were evaluated Outcome measurements and statistical analysis. The average amount precent change in PCa incidence and socioeconomic indicators, flumina develop ment index [PD] and gross domestic product [GCP] were evaluated Outcome measurements and statistical analysis. The average amount precent change in PCa incidence and socioeconomic indicators, flumina in a possibility of the production of t							C Research Type *
Abstract Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal broads are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher solicoconnic development, and that temporal trends for PCa incidence have increased while mortality has discreased over time Design, setting, and participants: Data on agestandardized incidence and mortality rates in 2012 were extreved from the CioDOCAN database. Emporal patterns were assessed for 36 countries using data obtained from Cancer incidence in five continents volumes IX and the Wolf Health Cigarization mortality database. Correlations between incidence or mortality rates and socioeconomic indicators (human develop ment index [ND] and goes demestic product [CioP]) were evaluated Outcome indicators (human develop ment index [ND] and goes demestic product [CioP]) were evaluated Outcome indicators (human develop ment index [ND] and goes demestic product [CioP]) were evaluated Outcome indicators (human develop ment index [ND] and goes demestic product [CioP]) were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the most incent [ND] and goes demestic product [CioP] were evaluated Outcome in the continuation [ND] and goes demestic product [CioP] were evaluated Outcome [ND] and goes demestic product [CioP] and goes demestic product [CioP] and goes demestic product [CioP] and goes demestic product [~		ademic research – refere
Abstract Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal brends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher solicoconnic development, and that temporal trends for PCa incidence have increased while mortality has discreased over time Design, setting, and participants: Data on agestandarized enclorace and mortality rates in 2012 were entreved from the CoBOCAN database. Emporal patterns were assessed for 36 countries using data obtained from Carnes in cidence in five continents volumes IX and the Wolf Health Organization mortality diabase. Correlationabe between incidence or mortality rate and socioeconomic indicators (human develop ment index [PCP]) were evaluated Outcome indicators (human develop ment index [PCP]) were evaluated outcome indicators (human develop ment index [PCP]) and gross domestic product [PCP] were evaluated Outcome indicators (human develop ment index [PCP]) and gross domestic product [PCP] were evaluated Outcome indicators (human develop ment index [PCP]) and gross domestic product [PCP] were evaluated Outcome indicators (human develop ment index [PCP]) and gross domestic product [PCP] were evaluated Outcome indicators (human 25-fold worldwide in 2012, with the highest Incidence rates are for Africa, where PCR mortality rates were the highest bediend in 2012, with the highest Incidence rates accepted of Africa, where PCR mortality rates were the highest DCD (PCP) and pCPP) and pCPP (PCP) and pCPP) and pCPP (PCPP) and pCPP) and pCPP) and pCPP (PCPP) and pCPP) and pCPPP (PCPP) and pCPPP) and pCPPP (PCPPP) and pCPPP) and pCPPP (PCPP							umal Article Title 5
Abstract Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher sociococomic development, and that temporal trends for PCa incidence have increased while mortality has discreased over time Design, setting, and participants: Data on agestandardized incidence and mortality rates in 2012 were extreved from the CLOBOCAN distables. Emporal participants: Data on agestandardized incidence and mortality rates in 2012 were extreved from the CLOBOCAN distables. Emporal participants: Data on agestandardized incidence and mortality and gross domastics or or mortality rates and socioeconomic indicators (buman develop ment stride; IRD) and gross domastics or or mortality rates and socioeconomic indicators (buman develop ment stride; IRD) and gross domastics or or mortality rates and socioeconomic indicators (buman develop ment stride; IRD) and gross domastics product (CICP) house evaluated Outcome more than 25-fold worldwide in 2012, with the highest incidence rates acreed in Microensia/Polynesis, the USA, and European countries. Mortality rates paralleled the incidence rates acreed for Africa, where PCa mortality rates were the highest. Countries with higher HDI (r = 0.58) and per capita GDP (r = 0.62) reported greater incidence rates. **Journal Details** Dournal Name** EUROPEAN UROLOGY** EUR UROL** EUR UROL** ELISEVIER SCIENCE BV 3030-2838 1873-7560 **Green - can archive pre-print and post-print or publisher's versionPOF Journal Name** EUROPEAN UROLOGY** **Start Page** BGC Bind Page** Bind Bind			20.0			D 0	
Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa morbidity is lower in countries with higher solicocomonic development, and that temporal trends for PCa incidence have increased while mortality has discreased over time. Design, setting, and participants. Data on agestandardized incidence and mortality rates in 2012 were retrieved from the CLOBOCAN database. Temporal patterns were assessed for 36 countries using data obtained from Cancer incidence in five continents volumes IX and the World Health Cignatization mortality database. Correlations between incidence or mortality rates and socioeconomic indicators (human develop ment index (PtD)) and gross domestic product (SCP) were evaluated. Outcome measurements and statistical analysis. The average annual percent change in PCa incidence and mortality in the most recent 10 yr according to join-point regression Results and limitations. Reported PCa incidence rates solventies in Microseasi PCA annual present change in PCa incidence and mortality in the most recent 10 yr according to join-point regression Results and limitations. Reported PCa incidence rates solventies while the pCa mortality and a concept to according to join-point regression Results and limitations. Reported PCa incidence rates solventies while the place of the contribution of the properties of the pr			36 Countries	atterns and Frends	ysis of lempora	r Prostate Cancer: A	lobal Incidence and Mortal
Background: Prostate cancer (PCa) is a leading cause of mortality and morbidity globally, but its specific geographic patterns and temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa mortality is lower in countries with higher solicocomic development, and that temporal trends for PCa incidence have increased while mortality has discreased over time Design, setting, and participants. Data on agestandarized incidence and mortality rates in 2012 were retrieved from the GLOBOCAN database. Temporal patterns were assessed for 36 countries using data obtained from Cancer incidence in five continents volumes I.X and the World Health Capacitation controlls (Cabacitation and Capacitation Capacitation). The average amount percent change in PCa incidence and socioeconomic indicators (human develop ment index (IPO)) and gross domestic product (GDP) were evaluated Outcome measurements and statistical analysis. The average amount percent change in PCa incidence and mortality in the most recent 10 by rac cording to pion-point regression Results and limitations. Reported PCa incidence rates several microscentric productions and change in the control of the control		A	<i>A</i>				
patterns and temporal trends are under-researched Objective. To test the hypotheses that PCa incidence is higher and PCa motality is lower in countries with higher solicocomonic development, and that temporal trends for PCa incidence have increased while mortality has decreased over time. Design, setting, and participants. Data on agestandarized incidence and mortality rates in 2012 were retrieved from the GLOBOCAM statabase. Temporal patterns were assessed for 36 countries using data obtained from Cancer incidence in five continents volumes I.X. and the World Health Organization mortality leadshase. Correlations between incidence or mortality rates and socioeconomic indicators (human develop ment index [HD]) and gross domestic product [GDP] were evaluated Outcome measurements and statistical analysis. The average annual percent change in PCa incidence and mortality in the most recent 10 yr according to join-point regression Results and limitations. Reported PCa incidence rates varied more than 25-fold worldwide in 2012, with the highest incidence rates occupited in HConnectal PCA private, the USA, and European countries. Mortality rates spratised the incidence rates occupited in HConnectal PCA private, the USA, and European countries. Mortality rates spratised the incidence rates occupited in HConnectal PCA private, the USA, and European countries. Mortality rates paralleled the incidence rates occupited for Affice, where PCa mortality rates were the highest LOcurties with highest HDI (= 0.58) and per capits GDP (= 0.62) reported greater incidence rates. **Journal Name** **EUROPEAN UROLOGY** **EUROPEAN UROLOGY** **Green - can archive pre-print and post-print or publisher's version PDF **Journal Name** **EUROPEAN UROLOGY** **State Page** **Green - can archive pre-print and post-print or publisher's version PDF **Journal Name** **EUROPEAN UROLOGY** **Journal Name** **Journal N							stract
Name Acronym Publisher ISSN el5SN EUROPEAN UROLOGY EUR UROL ELSEVIER SCIENCE BV 0302-2838 1873-7560 **Green - can archive pre-print and post-print or publisher's versionPOF Journal Name EUROPEAN UROLOGY **Publisher** ELSEVIER SCIENCE BV **Place of Publication **Wolume Number** 70 **ssue Number** 5 **Wear** 2016 **Month 11 **Dopy 1 **Start Page 8062 **End Page 8074	560	/ IF journal is no	ncidence is higher all trends for PCa ints. Data on age. The Temporal patterns urnes IV. And the and socioeconomic Outcome Carlos varied, Camerdally rather and socioeconomic Outcome and socioeconomic Outcome Carlos varied, and socioeconomic Outcome an	ypotheses that PCa ment, and that temp setting, and particip GLOBOCAN database in five contineates to compare the above the base of the control of the control of the control of control	tive: To test the aconomic devele over time. Desig retrieved from the Cancer inciden as between inciden omestic productual percent cha ults and limitatic idence rates ob dence rates ob dence rates of dence rates of dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence dence	under-researched. O mrites with higher on onortality has decreas lifty rates in 2012 w sing data obtained f ty database. Cornel date, IHDI and gros alysis: The average in-point regression. Full trates paralleled the higher HDI (r = 0.58)	attems and temporal trends of PC amounts of the Cambridge is lower in cidence have increased with andardized incidence and ere assessed for 36 count officiators (human develop in easurements and statistic. out on the Cambridge in the Cambridge
EUROPEAN UROLOGY © Item - can archive pre-print and post-print or publisher's version POF Journal Name EUROPEAN UROLOGY Publisher ELISEVIER SCIENCE BY Pilote of Publisher EUROPEAN UROLOGY Pilote of Publisher ELISEVIER SCIENCE BY Pilote of Publisher ELISEVIER SCIENCE BY Pilote of Publisher 5 Wear* 2016 Month 11 Day 1 Start Page 802 End Page	560						
▼ Green - can archive pre-print and post-print or publisher's version POF Journal Name EUROPEAN URCLODY Publisher EUROPEAN URCLODY Place of Publication Alobume Number 70 10 11 11 11 11 12 14 15 15 15 15 15 15 15 15 15	660						
Dournal Name EUROPEAN URCLOGY Publisher ELSEVER SCIENCE BY Place of Publication Nohume Number 70 5 SSAVE Number 5 Doy 1 Start Page 802 End Page 874		1070-7000	0002-2000	OILITOL DV	CLOCVICIO	LOIT OITOL	DITOL DAY OR OLOGO
Place of Publication Ablume Number 70 5 ssue Number 5 100 11 200 11 200 11 200 12 200 13 200 14 200 15 200 16 200 17 200 17 200 18 200 18 200 200 200 200 200 200 200 20			4				JROPEAN UROLOGY
Place of Publication Volume Number 70 Issue Number 5 Vear Day 1 Start Page 662 End Page 674							
Nolume Number 70 Issue Number 5 5 Vear 2016 Month 11 Clay 1 Start Fage 602 End Page 674							SEVIER SCIENCE BV
ssue Number 5 Waar * Day 1 Start Page 662 End Page							ce of Publication
ssue Number 5 Waar * Day 1 Start Page 662 End Page							
							ime Number
5 // Wear 2016 Month							io Number
Waar * 2016 Month 11							ze reuniber
Month 11 Day 1 Start Page 602 End Page							•*
Month 11 Day 1 Start Page 802 End Page							
Day Start Fage 8062 End Page							
Day Start Page 8602 End Page 874							
Start Page 862 End Page 874							
Start Page 862 End Page							
862 End Page 874							
End Page 874							
874							
Number of Pages							
Calculated by system if Start and End page are provided							nber of Pages
13						ige are provided	nber of Pages

- Check if the imported info is correct
- Amend if needed
- Add all mandatory info
 - Especially, info that cannot be imported form external databases
 - Such as "Input CUHK Associated Author(s)" and "Publishing Details"





Edit Records, Input CUHK Associated Author(s)

- Select your role for the research output such as Author, corresponding author
- Input the number of affiliation other than CUHK
- Add other CUHK authors' information by searching their names in the system
 - Using name format in CUPIS
 - Follow the hint text, e.g. "chan, tai man" education

Input CUHK Associated Author(s) *

- 1. Please click the "+" icon to select other CUHK author(s) of this research output. To facilitate the search, you may put the author name within double quotation marks, use a comma to separate the last name and first name, and end with the department name (e.g. "chan, tai man" education).
- 2. To search for a former staff, you may enter the author name, the department name, and ended (e.g. "chan, tai man" computer science ended).
- 3. Please also select capacity of the author.
- 4. Other than CUHK institutional affiliations (input number only): This refers to the no. of other institutional affiliations of an author as shown in the Title page. The weight of a publication will be divided by the number of such affiliation (For CUHK Staff only)

	Name	Department/Faculty	Other than CUHK institutional affiliations (input number only)	Capacity		
1 ~	FU, Lai Fan	The Chinese University of Hong Kong Library (Service)	0	Select Capacity ~	≥	







Edit Records, Input CUHK Associated Author(s)



香港中文大學學術研究文庫 The Chinese University of Hong Kong Research Portal

lesearch Resources	Copyright in Research	Theses	Experts List	User Guides	About Us		
earch Outputs » Cancer bur	den with ageing population in urban i	regions in China: projec	tion on cancer registry data fr	om World Health Organization	n		
Home			j population in urb Vorld Health Orgai	an regions in Chin	a: projection on		
Research Outputs		cy or professional jour	_				
Researcher Profiles		CUHK Authors					
Department Profiles			Decision Analytics Research (Data Decision Analytics Resea	•			
Research Areas			Data Decision Analytics Reservey Club School of Public He				
			ledicine and Therapeutics)	, , , , , , , , , , , , , , , , , , , ,			
	Full Text						
	Digital Object Identifier (DOI)	http://dx.doi.org/10	.1093/bmb/ldw050				
	DOI for CUHK Use	http://easyaccess.l	ib.cuhk.edu.hk/login?url=http:	://dx.doi.org/10.1093/bmb/ldw	050		
	Web of Science Scopus) Click here for the latest cou) Click here for the latest cou				
	Altmetrics . Information		Tweeted by 2				
		2	16 readers on Mend	eley			
		See more details					
	Other informa	tion					
	Abstract	cancer rates are si	ubsequently increasing. This	ageing population and the in study focuses on the chang lated cancers in the urban reg	es of the ageing population		
		Sources of data Cancer incidence d Research on Cancer		in China were extracted from	the International Agency fo		





Edit Records, Publishing Details

Publishing Details *


For Accepted/ Advance Online Publication, please provide the Accepta Period. The publication will be shown in the Activities Report of the cor

Acceptance Date

(dd/mm/yyyy)



Publishing Status *



Census Period *

This census period is to facilitate compilation of the annual CDCF and census period selected. Please note that if your research item has bee census period.



Select Publishing Status

- 1. Accepted
- Add Acceptance Date
- Note: Advance online publication/ Epub ahead of print is considered as "Accepted" not "Published"
- 2. Published
- Selecting the Census Period according to the date In-Print/ formal publication date





Submit records




Submit Records after Editing

• After filling in the form, please choose "Submit" to proceed.



- A message box will be prompted, please select "Submit" to send the records to the Library.
- After Library change the status of the record to "Validated", your research output will be shown in the Research Portal



Records in Submitted status will also be drawn to different reports






Duplication: Check if a publication record exists in AIMS before create a new one

How to Check Duplication?

- Before creating a new record, you may use the filter function to check duplication
- Filter function allows you to search records you have right to view








How to Check Duplication?

- You may also use the search function to view all records in AIMS (expect records with draft status)
- If the research output has been submitted/validated in AIMS, please contact us to add additional CUHK authors
 - Email to researchportal@lib.cuhk.edu.hk







How to deposit the full texts and related the copyright issues

Self-Archiving

- Depositing an electronic version of a research paper online in order to make it publicly accessible.
- Purpose: make the full text of the research output of scholars/scientists and their institutions visible, accessible, harvestable, searchable and useable by any potential user with access to the Internet.
- Who should do: authors of these articles
- Different copies of a research output can be self-archived:
 - Pre-refereeing preprint
 - Peer-reviewed, published postprint
 - Publisher's record





Publication Record with Full Text in the CUHK Research Portal



香港中文大學學術研究文庫

The Chinese University of Hong Kong Research Portal

Research Resources	CUHK UPDates	Theses	Experts List	User Guides	About Us	
search Outputs > Two novel s	pecies of tetrodotoxin-producing l	bacteria isolated from	toxic marine puffer fishes			
Home	Two novel puffer fish	•	trodotoxin-produc	ing bacteria isola	ted from toxic m	arir
Research Outputs	Publication in re					
Researcher Profiles	CUHK Autho					
Department Profiles	Full Text	3 Po Keung (School o	of Life Sciences)			
Research Areas	View Full-text in CUHK					
	Digital Object Identifier (DOI)	http://dx.doi.o	rg/10.1016/j.toxicon.2004.07.	021		
	DOI for CUHK U	Jsers http://easyaco	ess.lib.cuhk.edu.hk/login?url	http://dx.doi.org/10.1016/j.td	oxicon.2004.07.021	
	Times Cited					
	Web of Science	<u>66</u> (as at 07 /0	9/2020) Click here for the late	st count		
	Other inform	nation				
	Abstract		ominant discrete bacterial co			





Full-text Versions for Self-Archiving – Pre-refereeing preprint

- the original version of the manuscript as it is submitted to a journal
- has NOT gone through a process of peer review
- typically looks like a term paper a double spaced .doc file with minimal formatting.

This is a pre-published version

Comparative Proteomic Analysis of Esophageal Squamous Cell Carcinoma

Yijun Qi^{1,2}, Jen-Fu Chiu^{3,4} Lidong Wang¹, Dora L.W. Kwong⁵, and Qing-Yu He^{2,3*}

¹Laboratory for Cancer Research, College of Medicine, Zhengzhou University, Zhengzhou;
²Department of Chemistry, ³Open Laboratory of Chemical Biology of the Institute of Molecular Technology for Drug Discovery and Synthesis, ⁴Institute of Molecular Biology, and ⁵Department of Clinical Oncology, University of Hong Kong, Hong Kong, China

*Corresponding author: Dr. Qing-Yu He, Department of Chemistry, University of Hong Kong, Pokfulam, Hong Kong, China. Tel: (852)2299-0787, Fax: (852)2817-1006, E-mail: qyhe@hku.hk

Running title: Proteomics of esophageal squamous cell carcinoma

Abbreviations used:

ESCC, esophageal squamous cell carcinoma; SCCA1, squamous cell carcinoma antigen1; BCH, basal cell hyperplasia; DYS, displasia; CIS, carcinoma in situ; GAPDH, glyceraldehyde-3 phosphate dehydrogenase; NADP, isocitrate dehydrogenase; TPM,





Full-text Versions for Self-Archiving – Peer-reviewed, Post-Print

- has gone through the peer review process
- the final version of the paper before it is sent off to the journal for publication
- it may be missing a final copyedit (if the journal still does that) and won't be formatted to look like the journal.
- still looks like the double spaced .doc file.
- the term "pre-print" is sometimes used interchangeably with "post-print," but when it comes to permissions issues, it is important to clarify which version of a manuscript is being discussed

Appears in: ZIZEK, BORIS and HANNA PIEPENBRING (eds.) (forthcoming): Formen der Aneigunng des Fremden. Heidelberg: Universitätsverlag Winter.

Appropriate meaning:

Discursive struggle and polyphonic semiosis in Indian hip hop

Jaspal Naveel Singh, Cardiff University

Introduction: The double sense of 'appropriate' in poststructuralist semiotics

This volume suggests that appropriation (Aneignung) is neither a process of direct mapping of the other onto the self, nor does appropriation merely construct social and physical reality for appropriators. Rather appropriation is always already imbued with subjectivity, which reconstructs and builds on existent material circulating in and across life-worlds. This chapter will further our understanding of such processes by drawing attention to the semiotic foundations of appropriations, which structure the possibilities for taking subject positions. In particular, I will address processes of appropriation by focusing on the case of polyphonic semiosis, or meaning making through a layering of multiple voices, which has been put forward in poststructuralist strands of linguistics and the social sciences.


In this chapter, I discuss how actors appropriate meaning. In order to understand appropriation of meaning, I suggest that appropriateness of meaning plays a crucial role. I argue that appropriation occurs when appropriateness is changed or rescaled. The term 'appropriate' thus has to be read in a double sense: as a verb (aneignen) and as an adjective (geeignet). I discuss appropriations in Indian hip hop, a subcultural practice that emerged in urban centres of South Asia in the last decade. Hip hop culture in general developed in the 1970s in New York City and it has been codified by one of its founding fathers Afrika Bambaataa as consisting of five elements: graffiti writin (or spraying), breakin (or breakdancing), deejayin (or DJing), emceein (or rapping) and knowledge (CHANG 2005). Over the last 40 years hip hop has become a global phenomenon (MITCHELL 2001; ANDROUTSOPOULOS 2003; ALIM, IBRAHIM and PENNYCOOK 2009; TERKOURAFI 2010), forming what ALIM (2009) calls a Global Hip Hop Nation, in which ideas, aesthetics, forms and practices circulate across national borders and offer youth to imagine themselves as part of a cosmopolitan subculture. Based on material





Full-text Versions for Self-Archiving Publishers version / PDF

- the version of record that is published on the publishers website
- look quite spiffy, having been professionally typeset by the publisher
- Library databases will link to this version of the paper



39.2

Closing the assessment loop using pre- and post-assessment

244

Bonnie J.M. Swoger Milne Library, SUNY Geneseo, Geneseo, New York, USA

Received 19 January 2011 Accepted 28 January 2011

Purpose - The purpose of this study was to determine what skills students already possessed as entering first-year students, in order to define appropriate goals and objectives for library instruction sessions occurring in the first-year writing and critical thinking course.

Design/methodology/approach - A pre-test was administered during the first two weeks of the fall 2008 semester. After one-shot library instruction, students took a post-test during the final exam period of the fall 2008 semester. Librarians worked collaboratively to evaluate the results of the assessment and determine the implications for the session goals and objectives

Findings - The original goals and objectives for the library instruction sessions were out of sync with student skills. Assessment also revealed that the original goals and objectives were out of sync with librarian priorities. The results of the assessment were used to refine the goals and objectives through a collaborative process.

Practical implications - Instruction librarians need to evaluate their course goals and objectives as one part of the assessment cycle. Assessment can be a useful tool for aligning librarian priorities and pre-existing student skills.

Originality/value - This study explains how the results of assessment can be used to close the assessment loop, concentrating on parts of the assessment cycle seldom discussed in the literature. Keywords Assessment Information literacy Students

Paper type Research paper

While many librarians are making excellent progress toward embedded library instruction, many sessions are still traditional one-shot instruction sessions. The ACRL Information Literacy Competency Standards for Higher Education (Association of College and Research Libraries, 2000) have proved very useful for providing overall program guidance, but only a small subset of the outcomes can be explored in these single class sessions. Distilling from the standards what is necessary and possible for students to learn in a 50-minute session can be difficult.

Determining what to teach in a one-shot library instruction session for a freshman writing and critical thinking class can be daunting - librarians would like the students to learn enough to prepare them for college level research, but time is very limited. Traditional "library orientation" sessions can focus on the building, the library web site, the web online public access catalog (OPAC), or other basic concepts.

Librarians at SUNY Geneseo's Milne Library used pre- and post-assessment results to evaluate and revise the goals and objectives for the one-shot library instruction sessions taught in many sections of a freshman writing and critical thinking class. The © Emerald Group Publishing Limited assessments helped the librarians focus on student learning outcomes and to prioritize the knowledge and skills we hope for students to learn in these sessions.








Deposit the full texts

- Select the record to be edited
- Click "Edit"







Check the right version of full texts

- Scroll down to "Journal Details" to view the publisher's policy
- If can't be shown, go to <u>https://v2.sherpa.ac.uk/romeo/</u>
- Prepare the right copy (Post-Print or Publisher version) of full-text as required and save it in your own PC

Journal Details

Please click the "+" icon to select journal from the Selection List and input journal name in "Journal Name" text box ONLY IF journal is not available in the list.

Journal Name Selection List:

Name	Acronym	Publisher	ISSN	eISSN		
Lancet Oncology	LANCET ONCOL	Elsevier: Lancet	1470-2045	1474-5488	1 1	

▶ Blue - can archive post-print (ie final draft post-refereeing) or publisher's version/PDF

Publisher

Elsevier: Lancet

Pre-print

author cannot archive pre-print (ie pre-refereeing)

Post-print

author can archive post-print (ie final draft postrefereeing)

Conditions

- On author's personal website or institutional website
- · Publisher copyright and source must be acknowledged
- Must link to publisher version
- Publisher's version/PDF cannot be used.
- . If required by funding agency, authors may deposit in any repository after 6 months embargo
- · NIH funded authors may deposit in any repository after 12 months embargo
- Publisher last reviewed on 01/07/201

Copyright

View Guidelines for Authors and also The Lancet journals welcome a new open access policy and also What happens after publication? and also Journal Embargo Period List and also Journal Embargo List for UK Authors

RoMEO colo

Blue - can archive post-print (ie final draft post-refereeing) or publisher's version/PDF

SHERPA RoMEO

This information is derived from the RoMEOdatabase which is compiled by SHERPA and has been modified for use here.

Journal Name


Lancet Oncology





Deposit the full texts

- Scroll down the input form until you see "Fulltext of the Publication"
- Click this button to upload the right version of full text
- Select embargo date if required







Tips on Managing Your Research Output

- Please input information as accurate as possible to save time for Library to validate your input
- Encourage you to update your publication list from time to time and not before the deadline of report submission (May-Oct)
 - Advantages:
 - Showcase your latest publications
 - Library has more time to validate



